


# WALL PANEL DECORATION

Acrylic Laminates   Louvers Fluted Panels  
Charcoal Wall Panels Decorative Panels





## SPECIAL FEATURES



### Eco Friendly Materials

3D PS WALLS are Eco friendly material, made of the same material as yogurt pot. 3D PS WALLS ensure safe interior space with no sick house syndrome.



### Charcoal Powder

3D PS WALLS are much safer material for children, since atopy occurrence rate caused from harmful chemicals is very low by adding charcoal powder on the product itself.



### Shiplap System

3D PS WALLS are easy to install with a simplistic shiplap system with rabbet joint, which is easier than tongue and groove interlocking system.



### Unique Designs


Our range of 3D PS WALLS can be purchased in a wide selection of designs spanning marble, stone, woodgrain effects and plain colors that provide a stunning solution for any style of room.



### Complete Wall System

3D PS WALLS are complete wall system that includes a wide range of coordinating mouldings designed to cover the expansion space at the walls and transitions to other walls.

## Installation Tools




## 3D PS WALLS Handling Precautions

- Recommend to keep in room temperature of 18-25°C. Maintain optimal room temperature before and after the construction.
- Gently handle the edge of its product.
- Remove wallpapers or any subjects on the walls before construction.
- Prep-work with plaster board or plywood is recommended before the construction.
- Special glue is recommended during construction.
- Circular saw is recommended for cutting.
- 3D PS WALLS is intended only for indoor use.
- Avoid direct sun exposure and installing near the stove.
- 3D PS WALLS are waterproof, but do not expose to moisture for a long time because it can damage molds.
- Use a wet cloth or a rubber eraser.
- If wallpaper job near the 3D PS WALL is needed, please remove the paste on the 3D PS WALL immediately.
- Please do not use steel loofah or rough sponge when cleaning the surface.



ITEM NO.: EL-318 SIZE:310\*8MM



ITEM NO.: EL-319 SIZE:310\*8MM



ITEM NO.: EL-320 SIZE:310\*8MM



ITEM NO.: EL-321 SIZE:310\*8MM



ITEM NO.: EL-322 SIZE:310\*8MM



ITEM NO.: EL-323 SIZE:310\*8MM



ITEM NO.: EL-324 SIZE:310\*8MM



ITEM NO.: EL-325 SIZE:310\*8MM



ITEM NO.: EL-326 SIZE:310\*8MM



ITEM NO.: EL-327 SIZE:310\*8MM

ITEM NO.: EL-328 SIZE:310\*8MM


ITEM NO.: EL-329 SIZE:310\*8MM




ITEM NO.: EL-330 SIZE:310\*8MM

ITEM NO.: EL-331 SIZE:310\*8MM


ITEM NO.: EL-332 SIZE:310\*8MM



ITEM NO.: EL-333 SIZE:310\*8MM




ITEM NO.: EL-334 SIZE:310\*8MM



ITEM NO.: EL-335 SIZE:310\*8MM



ITEM NO.: EL-336 SIZE:310\*8MM




ITEM NO.: EL-337 SIZE:310\*8MM



ITEM NO.: EL-338 SIZE:310\*8MM




ITEM NO.: EL-339 SIZE:310\*8MM




ITEM NO.: EL-340 SIZE:310\*8MM



ITEM NO.: EL-341 SIZE:310\*8MM



ITEM NO.: EL-342 SIZE:310\*8MM



ITEM NO.: EL-301 SIZE:310\*8MM



ITEM NO.: EL-302 SIZE:310\*8MM





ITEM NO.: EL-303 SIZE:310\*8MM




ITEM NO.: EL-304 SIZE:310\*8MM

ITEM NO.: EL-305 SIZE:310\*8MM



ITEM NO.: EL-306 SIZE:310\*8MM

ITEM NO.: EL-307 SIZE:310\*8MM



ITEM NO.: EL-308 SIZE:310\*8MM



ITEM NO.: EL-309 SIZE:310\*8MM




ITEM NO.: EL-310 SIZE:310\*8MM



ITEM NO.: EL-311 SIZE:310\*8MM



ITEM NO.: EL-312 SIZE:310\*8MM



ITEM NO.: EL-313 SIZE:310\*8MM



ITEM NO.: EL-314 SIZE:310\*8MM



ITEM NO.: EL-315 SIZE:310\*8MM




ITEM NO.: EL-316 SIZE:310\*8MM




ITEM NO.: EL-317 SIZE:310\*8MM

## INSTALLATION STEPS


**1** Prep-work with plaster board or plywood is recommended before the construction. Please remove wallpapers on the walls before the construction.




**2** Apply a quality adhesive on the back of the 3D PS WALL. Apply small amount of hotmelt (glue-gun) on the back of 3D PS WALLS or use air-tacker for instant adhesion.



**3** 3D PS WALLS can be installed in both horizontal and vertical direction. Apply air-tacker on the edge of the tongue to hide the pin-marks.



**4** Jigsaw or circular saw can be used for cutting.



**5** For corner, combine the two grooves.



**6** Coordinating mouldings can be used for clean and nice finish.

